Author Index

Ahmad, F., see Awasthi, S. 584(1992)167
Ahmad, H., see Awasthi, S. 584(1992)167
Aiken, J. H., Huie, C. W. and Terzian, J. A.
Use of eluent containing surfactant for the liquid chromatographic analysis of porphyrins by direct serum injection 584(1992)181
Akiyama, S., see Nakashima, K. 584(1992)275
Ardid, D., see Coudore, F. 584(1992)249
Asenjo, J. A., see Leser, E. W. 584(1992)43
Awadé, A., see Gonzalès, T. 584(1992)101
Awasthi, S., Ahmad, F., Sharma, R. and Ahmad, H.
Reversed-phase chromatographic method for specific determination of glutathione in cultured malignant cells 584(1992)167
Ayesh, R., see Zhang, A. Q. 584(1992)141
Beijnen, J. H., see Burger, D. M. 584(1992)239
Belin, J.-M., see Serrano-Carreon, L. 584(1992)129
Bensoussan, M., see Serrano-Carreon, L. 584(1992)129
Besson, C., see Gonzalès, T. 584(1992)101
Betto, P., Ricciarello, G., Pichini, S., Dello Strologo, L. and Rizzoni, G.
High-performance liquid chromatography–electrochemical detection of 3-methylhistidine in human urine 584(1992)256
Blanchard, J., see Ugwu, S. O. 584(1992)175
Boniface, P. J., Martin, I. C., Nolan, S. L. and Tan, S. T.
Development of a method for the determination of zopiclone in whole blood 584(1992)199
Browner, M. F., see Luong, C. B. H. 584(1992)77
Burger, D. M., Rosing, H., Van Gijn, R., Meenhorst, P. L., Van Tellingen, O. and Beijnen, J. H.
Determination of stavudine, a new antiretroviral agent, in human plasma by reversed-phase high-performance liquid chromatography with ultraviolet detection 584(1992)239
Busby, S., see Downham, M. 584(1992)59
Champluvier, B., see Woker, R. 584(1992)85
Christensen, R. G. and Malone, W.
Determination of Oltipraz in serum by high-performance liquid chromatography with optical absorbance and mass spectrometric detection 6606(1992)207
Condoret, J. S., see Graber, M. 584(1992)115
Coudore, F., Ardid, D., Eschalier, A., Lavarenne, J. and Fialip, J.
High-performance liquid chromatographic determination of amitriptyline and its main metabolites using a silica column with reversed-phase eluent. Application in mice 584(1992)249
Dandeu, J.-P., see Krstulović, A. M. 584(1992)1
Davies, N.W., see Jack, D.S. 584(1992)189
Dellacherie, E., see Ubrich, N. 584(1992)17
Dello Strologo, L., see Betto, P. 584(1992)256
De Ruiter, G. A., Smid, P., Schols, H. A., Van Boom, J. H. and Rombouts, F. M.
Detection of fungal carbohydrate antigens by high-performance immunoaffinity chromatography using a protein A column with covalently linked immunoglobulin G 584(1992)69
Desmangles, R. J. P., Flipo, D., Fournier, M. and Mateescu, M. A.
Fast separation of macrophages by retention on cross-linked amylose and release by enzymatic amylolysis of the chromatographic material 584(1992)121
De Zeeuw, R. A.
Recent developments in therapeutic drug monitoring and clinical toxicology (edited by I. Sunshine) (Book Review) 584(1992)280
Downham, M., Busby, S., Jefferis, R. and Lyddiatt, A.
Immunoaffinity chromatography in biorecovery: an application of recombinant DNA technology to generic adsorption processes 584(1992)59
Eschalier, A., see Coudore, F. 584(1992)249
Fialip, J., see Coudore, F. 584(1992)249
Fletterick, R. J., see Luong, C. B. H. 584(1992)77
Flipo, D., see Desmangles, R. J. P. 584(1992)121
Fournier, M., see Desmangles, R. J. P. 584(1992)121
Francis, H. W., see Jack, D. S. 584(1992)189
Geschier, C., see Regnault, V. 584(1992)93
Gonzalès, T., Awadé, A., Besson, C. and Robert-Baudouy, J.
Purification and characterization of recombinant pyrrolidone carboxyl peptidase of *Bacillus subtilis* 584(1992)101
González, M. J., see Vidal-Madjar, C. 584(1992)11
Graber, M. and Condoret, J. S.
Preparative anion-exchange chromatography of soybean trypsin inhibitor: the alternative of column-overload methods 584(1992)115
Grygiel, J., see Havard, J. 584(1992)270
Hahn, G., see Spahn-Langguth, H. 584(1992)229
Hasui, M., see Takamatsu, T. 584(1992)261
Hathout, Y., see Serrano-Carreon, L. 584(1992)129
Haupt, K., see Wu, X. 584(1992)35
Havard, J., Grygiel, J. and Sampson, D.
Determination by high-performance liquid chromatography of hydroxyurea in human plasma 584(1992)270
Haymore, B. L., see Luong, C. B. H. 584(1992)77
Hernández, L. M., see Vidal-Madjar, C. 584(1992)11
Higuchi, S., see Usui, T. 584(1992)213
Hubert, P., see Ubrich, N. 584(1992)17
Huie, C. W., see Aiken, J. H. 584(1992)181
Jack, D. S., Rumble, R. H., Davies, N. W. and Francis, H. W.
Enantiospecific gas chromatographic–mass spectrometric procedure for the determination of ketoprofen and ibuprofen in synovial fluid and plasma: application to protein binding studies 584(1992)189
Jaulmes, A., see Vidal-Madjar, C. 584(1992)11
Jefferis, R., see Downham, M. 584(1992)59
Jiménez, B., see Vidal-Madjar, C. 584(1992)11
Kayano, M., see Takamatsu, T. 584(1992)261
Kerzel, P. and Mersmann, A.
Adsorption behaviour of lipase from *Staphylococcus carnosus* on a hydrophobic adsorbent 584(1992)109

Klimeš, J., Sochor, J., Zahradníček, M. and Sedláček, J.
Simultaneous high-performance liquid chromatographic determination of salicylates in whole blood, plasma and isolated erythrocytes 584(1992)221
Krstulović, A. M. and Dandeu, J.-P.
Preface 584(1992)1
Kula, M.-R., see Woker, R. 584(1992)85
Kuroda, N., see Nakashima, K. 584(1992)275
Langguth, P., see Spahn-Langguth, H. 584(1992)229
Lavarenne, J., see Coudore, F. 584(1992)249
Leser, E. W. and Asenjo, J. A.
Rational design of purification processes for recombinant proteins (Review) 584(1992)43
Liautard, J.-P.
Behavior of large nucleic acids in reversed-phase high-performance liquid chromatography 584(1992)135
Luong, C. B. H., Browner, M. F., Fletterick, R. J. and Haymore, B. L.
Purification of glycogen phosphorylase isozymes by metal-affinity chromatography 584(1992)77
Lyddiatt, A., see Downham, M. 584(1992)59
Lyddiatt, A., see Mohan, S. B. 584(1992)23
Malone, W., see Christensen, R. G. 6606(1992)207
Martin, I. C., see Boniface, P. J. 584(1992)199
Mateescu, M. A., see Desmangles, R. J. P. 584(1992)121
Meenhorst, P. L., see Burger, D. M. 584(1992)239
Mersmann, A., see Kerzel, P. 584(1992)109
Misawa, S., see Tanaka, E. 584(1992)267
Mitchell, S. C., see Zhang, A. Q. 584(1992)141
Mohan, S. B. and Lyddiatt, A.
Ligand location and biochemical productivity of silica-based immunoaffinity adsorbents 584(1992)23
Möhrke, W., see Spahn-Langguth, H. 584(1992)229
Mutschler, E., see Spahn-Langguth, H. 584(1992)229
Nakashima, K., Okamoto, M., Yoshida, K., Kuroda, N., Akiyama, S. and Yamaguchi, M.
Preparation of a fluorescent derivative of benzoylecgonine, and preliminary studies of its application to the analysis of urine 584(1992)275
Nolan, S. L., see Boniface, P. J. 584(1992)199
Odle, J., see Van Kempen, T. A. T. G. 6605(1992)157
Ohkawa, T., see Takamatsu, T. 584(1992)261
Okamoto, M., see Nakashima, K. 584(1992)275
Pichini, S., see Betto, P. 584(1992)256
Regnault, V., Rivat, C., Vallar, L., Geschier, C. and Stoltz, J. F.
Purification of biologically active human plasma transthyretin by dye-affinity chromatography: studies on dye leakage and possibility of heat treatment for virus inactivation 584(1992)93
Regnault, V., see Ubrich, N. 584(1992)17
Ricciarello, G., see Betto, P. 584(1992)256
Rivat, C., see Regnault, V. 584(1992)93
Rivat, C., see Ubrich, N. 584(1992)17
Rizzoni, G., see Betto, P. 584(1992)256
Robert-Baudouy, J., see Gonzalès, T. 584(1992)101
Rombouts, F. M., see De Ruiter, G. A. 584(1992)69
Rosing, H., see Burger, D. M. 584(1992)239
Rumble, R. H., see Jack, D. S. 584(1992)189
Sampson, D., see Havard, J. 584(1992)270
Schols, H. A., see De Ruiter, G. A. 584(1992)69
Sébille, B., see Vidal-Madjar, C. 584(1992)11
Sébille, B., see Vivarat-Perrin, M.-P. 584(1992)3
Sedláček, J., see Klimeš, J. 584(1992)221
Serrano-Carreon, L., Hathout, Y., Bensoussan, M. and Belin, J.-M.
Quantitative separation of *Trichoderma* lipid classes on a bonded phase column 584(1992)129
Sharma, R., see Awasthi, S. 584(1992)167
Smid, P., see De Ruiter, G. A. 584(1992)69
Smith, R. L., see Zhang, A. Q. 584(1992)141
Sochor, J., see Klimeš, J. 584(1992)221
Spahn-Langguth, H., Hahn, G., Mutschler, E., Möhrke, W. and Langguth, P.
Enantiospecific high-performance liquid chromatographic assay with fluorescence detection for the monoamine oxidase inhibitor tranylcypromine and its applicability in pharmacokinetic studies 584(1992)229
Stoltz, J. F., see Regnault, V. 584(1992)93
Takamatsu, T., Yamazaki, K., Kayano, M., Takenaka, F., Hasui, M. and Ohkawa, T.
Determination of eperisone in human plasma by gas chromatography–mass spectrometry 584(1992)261
Takenaka, F., see Takamatsu, T. 584(1992)261
Tan, S. T., see Boniface, P. J. 584(1992) 199
Tanaka, E. and Misawa, S.
Improved method for the determination of trimethadione and its demethylated metabolite, dimethadione, in human serum by gas chromatography 584(1992)267
Terzian, J. A., see Aiken, J. H. 584(1992)181
Ubrich, N., Hubert, P., Regnault, V., Dellacherie, E. and Rivat, C.
Compared stability of Sepharose-based immunoadsorbents prepared by various activation methods 584(1992)17
Ugwu, S. O. and Blanchard, J.
High-performance liquid chromatographic assay for the α-melanotropin[4,10] fragment analogue (Melanotan-II) in rat plasma 584(1992)175
Usui, T., Watanabe, T. and Higuchi, S.
Determination of a new bisphosphonate, YM175, in plasma, urine and bone by high-performance liquid chromatography with electrochemical detection 584(1992)213
Vallar, L., see Regnault, V. 584(1992)93
Van Boom, J. H., see De Ruiter, G. A. 584(1992)69
Van Gijn, R., see Burger, D. M. 584(1992)239
Van Kempen, T. A. T. G. and Odle, J.
Quantification of carnitine esters by high-performance liquid chromatography. Effect of feeding medium-chain triglycerides on the plasma carnitine ester profile 6605(1992)157
Van Tellingen, O., see Burger, D. M. 584(1992)239
Vidal-Madjar, C., Jaulmes, A., Sébille, B., González, M. J., Jiménez, B. and Hernández, L. M.
Study of protein–ligand binding effects by direct chromatographic on-column injection 584(1992)11
Vidal-Madjar, C., see Vivarat-Perrin, M.-P. 584(1992)3
Vijayalakshmi, M. A., see Wu, X. 584(1992)35
Vivarat-Perrin, M.-P., Sébille, B. and Vidal-Madjar, C.
Study of affinity supports based on reactive polymers immobilized on silica: affinity constant determination from isocratic zonal elution 584(1992)3

Volin, P.
Simultaneous determination of serum cortisol and cortisone by reversed-phase liquid chromatography with ultraviolet detection 584(1992)147
Watanabe, T., see Usui, T. 584(1992)213
Woker, R., Champluvier, B. and Kula, M.-R.
Purification of S-oxynitrilase from *Sorghum bicolor* by immobilized metal ion affinity chromatography on different carrier materials 584(1992)85
Wu, X., Haupt, K. and Vijayalakshmi, M. A.
Separation of immunoglobulin G by high-performance pseudo-bioaffinity chromatography with immobilized histidine. I. Preliminary report on the influence of the silica support and the coupling mode 584(1992)35
Yamaguchi, M., see Nakashima, K. 584(1992)275
Yamazaki, K., see Takamatsu, T. 584(1992)261
Yoshida, K., see Nakashima, K. 584(1992)275
Zahradníček, M., see Klimeš, J. 584(1992)221
Zhang, A. Q., Mitchell, S. C., Ayesh, R. and Smith, R. L.
Determination of trimethylamine and related aliphatic amines in human urine by head-space gas chromatography 584(1992)141